

SPARE PARTS EXPLODED VIEW GAS WALL BOILERS

Model


GENUS HP


R8216248-05EN - Edition 05 - 12/10/2011

3580762	GENUS HP 45KW IT/ES	08/08	...
3580763	GENUS PREMIUM HP 45KW RO/HU/PL	11/08	...
3580764	GENUS HP 45KW TU	11/08	...
3581089	GENUS PREMIUM HP 45KW	10/10	...
3580765	GENUS HP 65KW IT/ES	08/08	...
3580766	GENUS PREMIUM HP 65KW RO/HU/PL	11/08	...
3580767	GENUS HP 65KW TU	11/08	...
3581090	GENUS PREMIUM HP 65KW	10/10	...
3580976	GENUS PREMIUM HP 85KW IT/ES	02/10	...
3580977	GENUS PREMIUM HP 85KW RO/HU/PL	02/10	...
3580978	GENUS PREMIUM HP 85KW TU	02/10	...
3581091	GENUS PREMIUM HP 85KW	...	...
3580979	GENUS PREMIUM HP 100KW IT/ES	02/10	...
3580980	GENUS PREMIUM HP 100KW RO/HU/PL	02/10	...
3580981	GENUS PREMIUM HP 100KW TU	02/10	...
3581092	GENUS PREMIUM HP 100KW	10/10	...



Reference	Ind.	Model type	Begin	End
-----------	------	------------	-------	-----

100
200
300
400







500
600



700



[illegible]











[illegible]

5000

5001

Transf. gaz > GPL
Conv. gas > GPL
Trasf. gas > GPL
Transf. gas > GPL



[illegible]

LIST OF THE ABBREVIATIONS

HW	: Hot water.
CW	: Cold water.
C	: Ceramic resistance (normal heating).
Ca	: Ceramic resistance (accelerated heating)
TP	: Immersion heater.
1F	: With fittings.
2F	: Without fittings.
3F	: With fittings and another outlet connection.
AMI	: With mixing valve.
SMI	: Without mixing valve.
PUISS	: Power of th appliance.
PN	: Appliance with normal pression.
LP	: Appliance with low pression.
PV	: Appliance with variable power.
PF	: Appliance with fixed power..

IDENTIFICATION PLATE

SERIAL NUMBER

10 Characters :

04 05 125 011

Sequential number
Manufacturing day
Year of manufacture

21 Characters :

3000115 XX 08115 0000001

Product reference

Sequential number
Year (08) / Manufacturing day (115)

The indications mentionned on the prices, commercial or technical literature and the scheme are written for your guidance and are available at a given time. The CONSTRUCTOR retains the power to modify the presentation, the form, the size, the conception or the material of the products.